

A first-person perspective shot of a person's legs and feet. They are wearing brown leather hiking boots with laces, dark socks, and khaki pants. They are standing on a forest floor covered in dry pine needles and twigs. The background is a soft-focus forest scene.

# *Health* CONNECTIONS

YOUR HEALTH, YOUR LIFE

**CONCERNING  
SYMPTOMS?  
CONFIDE IN  
YOUR DOCTOR**

**PREPARE FOR  
EMERGENCIES —  
STOCK YOUR  
FIRST-AID KIT**

**THE GREAT  
OUTDOORS:  
A Safer Escape**

**FANNIN**  
REGIONAL HOSPITAL



Living with chronic joint pain? If pain is affecting your everyday life, it might be time to consider joint replacement surgery.

# Your Joints, *Only Better*

At some point, joint damage affects practically everyone. Whether caused by an injury, arthritis or the gradual wear and tear of life, joint pain can often be treated with exercise, lifestyle changes or medication. When these aren't enough, however, joint replacement surgery may become necessary.

Offering years of use, artificial joints can greatly improve your quality of life.

## PREPARING FOR THE DAY

The first step is to meet with an orthopedic specialist. Depending on the deterioration, you may require a partial or full joint replacement. Either way, your orthopedic specialist will educate you on the surgery, answering questions and giving a clear picture of what to expect during and after your procedure.

Leading up to surgery, you'll need to eat a healthy diet and perform special exercises. These two steps can help you recover from surgery and regain full range of motion faster.

## THE BIG DAY

On the day of surgery, you'll check in at the hospital and be taken in for surgery. In some joint replacement cases, minimally invasive techniques can be employed, offering smaller incisions and less disruption to muscles, ligaments and tendons. But each case is different, so talk with your surgeon about what might work best for you.

And believe it or not, just hours after leaving the operating room, a physical therapist may help you begin using your new joint.

## GOING HOME

Recovery continues with in-home therapy. During this time, a therapist visits your home a few times a week. As you gain function in your new joint, you will transition to outpatient therapy.

Within a few weeks, you should finish your formal rehabilitation process. While you continue working to strengthen your new joints, you should be able to return to everyday life, doing many of the things you love!

## HOME, SAFE HOME

Is joint replacement surgery in your near future? Take steps to prepare your home for a safe return.

- **Clear the clutter.** You should be able to get around your house without bumping into coffee tables or stacks of magazines. This is particularly important if you'll use a walker or cane after surgery.
- **Level your life.** Dishes, food supplies, notebooks, glasses and clothing should be easy to access. Store them so you don't have to bend over or reach high to get them.
- **Prepare food now.** Fill your freezer with precooked meals for easy reheating and eating during recovery. If you cook your own food, cook ahead and freeze meals in single-serving portions.



Hamidreza  
Doroodchi, M.D.



Don't let joint pain keep you from the daily activities you enjoy. Call us at (706) 946-4215 to schedule an appointment with orthopedic and sports medicine provider Hamidreza Doroodchi, M.D., and find out if you could benefit from a joint replacement surgery.

*Patient results may vary. Consult your doctor about the benefits and risks of any surgical procedure or treatment.*

*Dr. Doroodchi is a member of the medical staff at Fannin Regional Hospital.*



# HANDLING BEE STINGS AND OTHER EMERGENCIES

Prepare for the worst and know when you should head to the ER.

As the weather warms, there are more opportunities to head outside. But enjoying the great outdoors presents health risks, such as bees working to collect pollen and snakes coming out from their winter burrows. Whether your outdoor plans involve long hikes or just time in the backyard, you need to know what to do if faced with an emergency bite or sting.

## **MOST STINGS ARE MINOR**

If you're stung by a bee, remove the stinger by flicking or scraping off the stinger, rather than pinching the area. Bees leave a venom pouch which contracts for about 20 to 30 seconds. When you pinch the stinger area, it injects the venom, whereas quickly flicking or scraping off the stinger limits the amount of venom that can enter the body. An ice pack can help reduce swelling.

## **WHAT ABOUT ANAPHYLAXIS?**

Anaphylaxis is a severe allergic reaction that can be life-threatening. In some people, this

reaction is caused by ingesting certain foods like peanuts, being exposed to latex, taking certain medications or being stung by an insect.

If you or a family member has severe allergies to foods, insects or other materials, it's important to carry an epinephrine injector at all times. If an insect sting happens, go to an emergency room immediately if you experience or witness the following symptoms of anaphylaxis:

- difficulty breathing
- dizziness
- hives
- nausea or stomach cramps
- swelling of the face, throat or tongue

## **SNAKE VENOM CAN KILL**

Snakes really don't like to bite people, contrary to public opinion. If you see one and back away, it's unlikely to chase you. But if you are bitten, immediately go to an emergency room or call 9-1-1.

Do not try to trap the snake, tourniquet the limb or suck the venom out, like you see in the movies. Keep the bite below the heart, if feasible, until medical help arrives. And watch out for your pets, too — their smaller size makes snake bites more dangerous.



When does an allergic reaction merit a trip to the ER? Generally, if two or more body systems (skin, digestive, respiratory or cardiovascular system) are affected, call 9-1-1 or go to the ER. An example? A slight throat tightness (respiratory system) **with** a rapid heartbeat (cardiovascular system). Check average ER Wait Times at [FanninRegionalHospital.com](http://FanninRegionalHospital.com).



## **MAKE A FIRST-AID KIT**

Sure, you can buy a prepackaged first-aid kit, but it's just as easy to make your own. Get a plastic storage box or sturdy waterproof bag and add the following:

- acetaminophen or ibuprofen
- adhesive tape
- adhesive bandages in different sizes
- antibiotic ointment
- antiseptic or alcohol wipes
- elastic wrap bandage
- emergency blanket
- flashlight and extra batteries
- hydrocortisone cream
- instant cold pack
- nonlatex gloves
- safety pins
- scissors
- splint
- sterile gauze pads
- thermometer
- tweezers

If a family member has a known medical condition, add any medications that could be needed in an emergency. Keep a first-aid kit in each car and another one in your house.

# Happy (Safe) Camping!




## HOW TO GET HELP

When you are camping or hiking, chances are you won't have quick access to care in an emergency. Here's how to communicate when you're outdoors:

- **Use a cellphone — but don't rely on it.** Sure, you can make a quick call for help, but cellphones don't always have reception, and you might run out of battery. If you can find cell service, call 9-1-1 and give the operator your location to the best of your ability and describe your emergency. Keeping your phone in airplane mode while hiking or camping will help preserve battery life last as long as possible.
- **Contact the park ranger.** Put the park ranger's number in your phone before setting out. He or she may be your quickest resource for emergency medical assistance while other medical staff are on their way.
- **Try a satellite communicator.** These devices are an extra expense but handy if you plan to be in the backcountry where cell service is unreliable. They use satellite signal and can send an SOS if you need it.

Keep these safety tips in mind before embarking on your next adventure.

Camping is a long-standing favorite American pastime, but its popularity has skyrocketed during the pandemic. State parks have seen record numbers of visitors flocking to nature for a much-needed change of scenery. If you're planning a camping trip, follow these preparation steps on your next getaway.



## HIT THE TRAILS

Safety is key while enjoying an afternoon hike around the park. Choose to hike with a buddy or a small group of people. Not only does this give you companionship on your hike, but there's added safety in numbers. Before you head out on your trek, let a trusted third party know where you will be hiking and when you will return. This person can call for help in case of an emergency or if you haven't returned by an appointed time. You should also check the weather and set out only if conditions are safe. Bring a flashlight and basic safety essentials, such as a whistle, first-aid kit, analog compass and fire starter.



## AVOID INJURIES

Nothing puts a damper on outdoor fun quite like an injury or feeling sick. Here's how to avoid and treat common camping ailments:

AVOID

TREAT

BURNS	CUTS AND SCRAPES	DEHYDRATION
<ul style="list-style-type: none"><li>• cooking over a campfire with long, loose sleeves</li><li>• building a fire when forest fire danger is high</li><li>• getting closer than 3 feet to a burning fire</li><li>• using gasoline, kerosene or other accelerants to start a fire</li></ul>	<ul style="list-style-type: none"><li>• leaving knives and sharp objects out</li><li>• using a pocket knife recklessly to cut sticks or other objects</li><li>• walking without watching for uneven terrain, fallen trees, branches or loose rocks</li></ul>	<ul style="list-style-type: none"><li>• drinking caffeine and alcohol when it's very hot outside</li><li>• exercising in the hottest part of the day</li><li>• waiting until you are thirsty to drink water</li></ul>
<p>If your clothes catch fire, follow the "stop, drop and roll" protocol. Soothe minor burns with cool, clean water, and cover them with a dry bandage. If a burn is large, severe and the affected person appears to be in shock, seek emergency medical attention.</p>	<p>Wash any dirt off your hands with soap and water before treating a wound. Stop bleeding by holding gauze to the wound and gently applying pressure for a few minutes. Clean any debris out of the cut with water. Apply an antibiotic ointment to prevent infection. Get emergency help if the wound is large and deep or is severely bleeding. Call your doctor if the cut was caused by a rusty object or still has debris stuck inside.</p>	<p>Mild dehydration will make you feel very thirsty, tired or dizzy. If this happens, simply replenish your fluids quickly. If dehydration is severe, you may need to seek medical attention. Signs of severe dehydration include confusion, fainting, rapid heartbeat and shock.</p>

The American Burn Association states embers cause 70 percent of campfire burns.




## PITCH IT SAFELY

Ready to set up your site? As you settle in, don't forget to:

- **Build campfires at least 15 feet away.** Make sure an open fire is a good distance from your tent and other flammable objects.
- **Critter-proof your site.** Keep your area clean and free of trash. Never leave food, coolers, garbage or kitchen utensils out in the open, where they might attract bears and other creatures.
- **Inspect for hazards.** Check for any ant mounds, patches of poison ivy, shards of glass or flooding zones.
- **Plan an early setup.** Pitching a tent and scouring for firewood in the dark is inefficient and could be unsafe. Plan to arrive at your site with plenty of daylight to set up camp.

TeleHealth visits allow you to see your provider from wherever you have an internet connection. Want to talk with a provider from your hike or in your backyard? Visit [FanninAnytime.com](https://www.fanninanytime.com) to see who offers TeleHealth services.



## DINNER IS SERVED

When cooking in the outdoors, take care to avoid food poisoning, which can cause nausea, an upset stomach, vomiting, diarrhea, fever and potentially long-term side effects.

Keep foods out of the danger zone — the temperature range between 40 and 140 degrees Fahrenheit that gives bacteria prime opportunity to grow. To prevent this, don't leave perishable foods unrefrigerated for more than two hours—one hour if the temperature is over 90 F. Keep perishable foods safely packed in a cooler with enough ice to maintain 40 F or below. Also, bring along a meat thermometer to make sure meat you cook has reached a safe internal temperature. Before handling foods, don't forget to wash your hands with soap and water — hand sanitizer is ineffective for visibly dirty hands, according to the Centers for Disease Control and Prevention. While a sink may not be readily available, staying clean helps prevent spreading bacteria during your outdoor picnic or barbecue.







# Heart to Doc TALK

It's important to speak openly with your healthcare provider each visit so he or she can fully address your health concerns.

You already know that getting an annual checkup with your primary care provider (PCP) is important for your health. But what good is a checkup if you don't talk about all of your health concerns with your provider? Even if you think your concern is minor, your provider needs all the information in order to offer proper care or guidance.

## SHARE WITH YOUR DOCTOR

If you've had any chronic issues since your last visit, you should mention them, no matter how embarrassing. For example, gastrointestinal problems could be a sign of something serious, as could a spot on your back that won't stop itching.

You also need to be honest with your provider about your eating habits and how much you exercise. If you drink alcohol, use drugs or smoke, your doctor needs to know how much and how often, and the same goes for your sex life. Make sure your PCP has an accurate list of your medications and their

dosages — write down a list beforehand if you don't think you'll remember.

If you've had a major life change in the past year, like a divorce or death in the family, you should also share this with your doctor. Your mental health can affect your physical health, and vice versa.

## ASK YOUR DOCTOR

PCPs are used to treating all kinds of patients and conditions, so there really is no such thing as a dumb question. Don't be afraid to ask anything that you want to know or to follow up with questions about a diagnosis or medication that you don't fully understand.

If you have questions about your health or symptoms you're experiencing in the weeks before your appointment, write them down so you won't forget to ask. Make sure to note if the symptoms are constant or if they come and go, and whether they're affecting your daily activities.

## EVERYDAY SUN SAFETY



Camille  
Ledford, ANP

Practice basic sun safety, or you could end up with skin cancer down the line.



Lindsey  
Niknezhad, P.A.

You should always wear broad spectrum sunscreen, which protects against ultraviolet A and B rays. Use one with an SPF of 30 or more, and reapply it every two hours when

you're outside.

You should also try to cover your skin as much as possible. Wear a hat, sunglasses and long sleeves.

Finally, try to stay in the shade. Save your yard work or bike rides for early morning or later in the afternoon, avoiding the sun between 10 a.m. and 4 p.m.

And if you spot any suspicious new moles, visit your dermatologist.



Whatever medical condition is on your mind, family medicine providers Camille Ledford, ANP, and Lindsey Niknezhad, P.A., can help. To schedule an appointment with one of these providers, visit [FanninAnytime.com](https://www.fanninanytime.com).

*Camille Ledford, advanced nurse practitioner, and Lindsey Niknezhad, physician assistant, are members of the allied health staff at Fannin Regional Hospital.*

# TEMPERATURES RISING

Screening for COVID-19 has made taking a temperature a daily occurrence for some. Here's how to check for a fever and what that means.



## 98.6

In the mid-1800s, German physician Carl Wunderlich established 98.6 degrees Fahrenheit as the standard healthy temperature after measuring the temperatures of roughly 25,000 people, using the armpit method.

## TAKING YOUR TEMP

- Read the thermometer immediately after removing.
- Call your doctor or urgent care center if body temperature readings are at or above the top number for each method (see *The New Normal*, right).



Most fevers run their course, but adults with a temperature above 103 F should seek medical attention immediately. Children with a temperature above 100.4 F AND symptoms like a rash, fatigue, headache, stiff neck, prolonged diarrhea or vomiting should get to the ER. Infants with a temperature of 100.4 F should also be seen by a medical professional. Going to the ER? Call 9-1-1 or visit [FanninRegionalHospital.com](http://FanninRegionalHospital.com) to see average ER Wait Times and get directions.



## FEVERS AT WORK

- Most bacteria and viruses that cause illness thrive at 98.6 F.
- Fevers destroy harmful bacteria and viruses and activate the immune system.



## THE NEW NORMAL

Body temperatures vary by location of measurement and from person to person.

- 95.9–99.5 F adults (mouth)
- 97.8–99.5 F children and adults (armpit)
- 97–99 F for adults (forehead)
- 96.4–100.4 F for children (ear)
- 97.9–100.4 F for children (rectal)

## TEMPERATURE SPIKES

High temperature readings could also signal:

- hot outdoor conditions
- eating hot foods
- menstrual cycle
- medication reactions
- overdressing
- physical activity
- time of day



Fannin Regional Hospital  
2855 Old Hwy. 5, North  
Blue Ridge, GA 30513

PRSRT STD  
U.S. POSTAGE  
**PAID**  
LYNCHBURG, VA  
PERMIT NO. 500

### WANT TO READ MORE?

Visit [FanninRegionalHospital.com/signup](http://FanninRegionalHospital.com/signup) to receive other health and wellness articles and register for our eNewsletter.

Fannin Regional Hospital complies with applicable federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability or sex. For more information, see link on our homepage at [FanninRegionalHospital.com](http://FanninRegionalHospital.com). Attention: If you do not speak English, language assistance services, free of charge, are available to you. Call (706) 632-3711 (TTY: (800) 255-0056).

ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al (706) 632-3711 (TTY: (800) 255-0056).

CHÚ Ý: Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Gọi số (706) 632-3711 (TTY: (800) 255-0056).

VOLUME 13 • ISSUE 2 | *Want More?* Visit [FanninRegionalHospital.com/signup](http://FanninRegionalHospital.com/signup) to sign up for our eNewsletter! | [FanninRegionalHospital.com](http://FanninRegionalHospital.com)

Fannin Regional Hospital is owned in part by physicians.

This publication in no way seeks to serve as a substitute for professional medical care. Consult your doctor before undertaking any form of medical treatment or adopting any exercise program or dietary guidelines.

# Time to prevent COLORECTAL CANCER?

Colonoscopies take about 30 minutes and can remove polyps that may become cancerous. According to the American Cancer Society, when colorectal cancer is found early, there is a 90 percent five-year relative survival rate. Talk with your doctor about whether it's time for your colonoscopy.



For more information about how our general surgeons can help you prevent colon cancer, visit us at [BlueRidgeMedicalGroup.com](http://BlueRidgeMedicalGroup.com).

*Drs. Bloch and Kincaid are members of the medical staff at Fannin Regional Hospital.*



Jonathon  
Bloch M.D., FACS



Nathan  
Kincaid, M.D.